

This document and all other project documents, ideas, aesthetics and designs incorporated herein are instruments of service. All project documents are copyright protected, are the property of LPA, Inc. (LPA) and cannot be lawfully used in whole or in part for any project or purpose except as set forth in the contractual agreement between LPA and its Client. The unauthorized disclosure and/or use of the project documents, including the creation of derivative works, may give rise to liability for copyright infringement, unlawful disclosure, use or misappropriation of property rights held by LPA. The unauthorized use of the project documents will give rise to the recovery of monetary losses and damages including attorney fees and costs for which the unauthorized user will be held liable. Project documents describe the design intent of the work and are not a representation of as-built or existing conditions. LPA is not responsible for any discrepancies between the project documents and the existing conditions.  
 © LPA, Inc.

MADISON ELEMENTARY SCHOOL  
 INTERIM HOUSING PORTABLES  
 3635 Madison Street  
 Riverside, CA 92504  
 Developed for  
 Riverside Unified School District

Date	
Revised	
Date	
100% CONSTRUCTION DOCUMENTS - DSA	12/04/18
100% CONSTRUCTION DOCUMENTS - DSA	12/19/2018
DSA SUBMITTAL V2	2/26/2019
Job No.	1720520
Date	2/26/2019
Checked by	MKD
Scale	As indicated

<p>SCALE: 3"=1'</p> <p><b>7</b></p>	<p>SCALE: 3"=1'</p> <p><b>4</b></p>	<p>SCALE: 3"=1'</p> <p><b>1</b></p>	<p><b>KEY NOTES</b></p> <ol style="list-style-type: none"> <li>CAP-CLOSURE @ RIDGE 26GA. GALV. W/10 TYPE FASTENERS W/NEOPRENE WASHERS TO RIB BOTH SIDES OF MODLINE. SET GAP IN SEALANT</li> <li>5/8" M.B. A307 MODULE JOINT (SEE STRUCTURAL PLAN FOR LOCATION) @ 6" O.C.</li> <li>E.N.</li> <li>MODULE JOINT</li> <li>1/4" @ 6" O.C. FULL DEPTH STIFFENER PLATE (SEE 4/52.1)</li> <li>STANDING SEAM ROOF (SEE A2.0)</li> <li>ROOF BEAM (SEE STRUCTURAL) SEE 3/52.1 &amp; 12/52.1</li> <li>PLYWOOD FLOOR SHEATHING</li> <li>FLOOR JOIST 6/52.1</li> <li>FLOOR BEAM (SEE STRUCTURAL 5/52.1)</li> <li>HAND-HOLE @ BOLT LOCATION</li> <li>#14 STSMS</li> <li>3 1/2"x3 1/2"x1/4" STEEL TUBE COLUMN</li> <li>ROOF HEADER (SEE STRUCTURAL 1/52.1)</li> <li>1/4" STIFFENER PLANE SEE 4/52.1 FOR TYP. WELD</li> <li>CAP CLOSURE AT RIDGE 26GA. GALV. W/10 STSMS AT 48" O.C. W/NEOPRENE WASHER TO RIB SET BOTH SIDES OF GAP IN SEALANT</li> <li>NOT USED</li> <li>NOT USED</li> <li>NOT USED</li> <li>2"x2"x3/16" L</li> <li>3 1/4"x1"x45 11/16" LX10GA. CHANNEL TOP &amp; BOTTOM CENTER OF OPENING</li> <li>ROOF PURLIN SEE 2/52.1</li> <li>TUBE STEEL (SEE NOTE #13)</li> </ol>
<p>SCALE: 3"=1'</p> <p><b>8</b></p>	<p>SCALE: 3"=1'-0"</p> <p><b>5</b></p>	<p>SCALE: 3"=1'</p> <p><b>2</b></p>	
<p>SCALE: 3"=1'</p> <p><b>9</b></p>	<p>SCALE: 3"=1'</p> <p><b>6</b></p>	<p>SCALE: 1"=1'</p> <p><b>3</b></p>	

ARCHITECT	ELECTRICAL	STRUCTURAL	MECHANICAL	FIRE MARSHAL	ACCESS COMPLIANCE	STRUCTURAL SAFETY

PC-P1-19

STRUC TURAL DETAILS

S1.2